M. A. R. 57 (Rule 116) **No. D** 271279

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
107.	providing a fixing Vitrified glazed tile @ approved → 5m	786.50	102664=00	49.31	1394=00	68738=00	785.51	1095419=00
108.	—"— Third floor → 5m	786.50	102854=00	49.31	1396=00	68837=00	785.51	1096991=00
109.	providing Ceramic tiles @ approved make (SF) → 5m	22.92	3355=00	—	1464=00	—	22.92	33555=00
110.	—"— Third floor - 5m	22.92	33601=00	—	1466=00	—	22.92	33601=00.
111.	providing Skirting, dado. risers @ steps (SF) → 5m	258.30	476822=00	—	1846=00	—	258.30	476822=00
112.	—"— Third floor 5m	258.30	477338=00	—	1848=00	—	258.30	477338=00.

Scanned by TapScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
113.	providing & laying cinder concrete in cement 1:15 → cum	19.52	46082=00	—	2361=00	—	19.52 46082=00
114.	—"— third floor → cum	19.52	46082=00	—	2361=00	—	19.52 46082=00
115.	providing Integral Crystalline waterproofing treatment → Sqm	124=00	72116=00	1.96	596=00	1166=00	1229.4 73344=00
116.	providing White sal wood frames Thing floor → Sqm	0.76	60310=00	—	79355=00	—	0.76 60310=00
117.	providing & fixing flush door Shutter made out Thy floor	22.68	86388=00	—	3809=00	—	22.68 86388=00
118.	providing & fixing 65mm × 90mm G&P Doorframe - Sqm	34.80	20984=00	—	603=00	—	34.80 20984=00
119.	—"— Thing floor → Sqm	34.80	21124=00	—	607=00	—	34.80 21124=00
120	providing & fixing factory made Single leaf and grip → Sqm	12.60	37148=00	—	3950=00	—	12.60 37148=00

Scanned by TapScanner

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

271280

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Number	Dimensions			Contents	Reference to last Measurement	
			Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
121	Providing & fixing factory made SS/Pk roof top railing from 8'0" → 5 Rm	12.60	58198=00	—	3994=00	—	12.60	58198=00
122	→ Ground flr - 5 Rm	26.10	96357=00	—	3693=00	—	26.10	96357=00
123	→ First floor - 5 Rm	19.44	71928=00	—	3700=00	—	19.44	71928=00
124	→ Second floor → 5 Rm	108=00	572724=00	—	5303=00	—	108=00	572724=00
125	→ Third floor - 5 Rm	108=00	562572=00	—	5209=00	—	108=00	562572=00
126	→ Terrace flr - 5 Rm	2.25	11734=00	—	5215=00	—	2.25	11734=00
127	providing & fixing MS grill - 1 Rm (Above 125 % Allys)	4190=00	406430=00	1046=00 1776.24	97=00 96.83	101656=00 172000=00	5236=00 1776.24	508086=00 172000=00
		—	—					171993

Scanned by TapScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
128	providing & fixing pull & push type rolling shutter (GF) →Sqm	262.20	931596=00	26.72	3553=00	94936=00	288.92	1026532=00
129.	—"— First floor →Sqm	465.60	1657031=00	43.33	3559=00	154241=00	508.93	1811282=00
130.	Fixing of door frame in an existing opening including →Sqm	6.00	7872=00	—	1312=00	—	6.00	7872=00
131.	—"— Third flor →Sqm	5.00	6570=00	—	1314=00	—	5.00	6570=00
132.	Supplying & wiring adopting loop system in existing →Each	96=00	23712=00	—	247=00	—	96=00	23712=00
133	—"— 6.0M to 10Mtr	60=00	23040=00	15=00	384=00	5760=00	75=00	28800=00
	Above 125% →Each	—	—"—	1.00	383.93	584=00	1.00	3744=00
134.	Supplying & flush mounting powder coated →Each	10=00	1050=00	2.50	105=00	263=00	12.50	1313=00
	Above 125% →Each	—	—	3.50	104=00	366=00	3.50	366=00

Scanned by TapScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. D 271281

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work		Dimensions			Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
135.	Supplying & flush mounting Cooker 6 way → each	20=00	2787=00	5.00	139=00	695=00	25=00	3475=00
	Above 125% → each	—	—	5.00	159.09	417=00	8.00	417=00
136.	Supplying & flush mounting 5 way → each	50=00	8050=00	12.50	161=00	2013=00	62.50	1063=00 10063
	Above 125% → each	—	—	15.50	160.93	2494=00	15.50	2494=00
137.	Supplying & flush mounting powder coated 10–12 way	30=00	5490=00	7.50	183=00	1373=00	37.50	6863=00
	Above 125% → each	—	—	26.50	182.77	4843=00	26.50	4843=00
138.	Supplying & fixing Superior Quality Modular Switch. 1–3 module → each	10.00	1350=00	9.50	125=00	313=00	12.50	1563=00
	Above 125% → each	—	—	3.50	125.30	439=00	3.50	439 439=00

Scanned by TapScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
139.	Supplying & fixing Superior Quality Modular Switch 6 module Above 125%. → Each	20=00	3980=00	5.00	199=00	995=00	25=00	4975=00
		—	—	31=00	198.96	6165=00	31=00	6165=00
140.	Supplying & fixing — 8 module → Each	50=00	11500=00	12.50	230=00	2875=00	62.50	14375=00
	Above 125%. → Each	—	—	15.50	229.90	3563=00	15.50	3563=00
141.	— 12 module — Each	10.00	3070=00	2.50	307=00	768=00	12.50	3838=00
	Above 125%. → Each	—	—	177.50	306.92	54478=00	177.50	54478=00
142.	Supplying & fixing of Modular Switch / Socket / Stepped - Each	154=00	11088=00	—	72=00	—	154=00	11088=00
143.	Supplying & fixing of Modular Switch / Socket / Stepped → Each	110=00	36190=00	27.50	329=00	9048=00	137.50	45238=00
	Above 125% → Each	—	—	68.50	328.76	22520=00	68.50	22520=00
144.	Supplying & fixing of Modular Switch / Socket / Stepped - Each	16=00	2096=00	—	131=00	—	16=00	2096=00

Scanned by TapScanner

M. A. R. 57 (Rule 116) **No. D**

Measurement Book

271282

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
145.	Supplying & Fixing 9 Modul ~~Arms~~ or Switch 6/16 Amps → Each	16=00	2704=00	—	169=00	—	16=00	2704=00
146.	Supplying following Size heavy guage pvc Conduit pvc - Each	2000=00	98000=00	500=00	49=00	24500=00	2500=00	122500=00
	Above 125%. → Each	—	—	1160=00	49=00	56840=00	1160=00	56840=00.
147.	—"— 25mm dia - Each	750=00	51450=00	470=00	66=00	31020=00	1250=00	82500=00
	Above 125%. → Each	—	—	435=00	65.52	15398=00	235=00	15398=00
148	—"— 32mm dia - Each	63=00	6489=00	—	103=00	—	63=00	6489=00.
149.	Supplying heavy guage Conduit 2mm thick with Suitable ~~SRI~~ Sands → Rmtr	1500.60	96038=00	—	64=00	—	1500.60	96038=00.

Scanned by TapScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
150.	Supplying & fixing regulator MCB d/s. boards / wood Lig Bx	60=00.	59700=00	8.00	995=00	79160=00	60=00 / 67660=00
151.	Supplying & fixing Cast Aluminium round (or) oblong type - Each	8=00	8752=00	—	1094=00	—	8=00 / 8752=00
152.	Fixing a ceiling / wall Mounting fan & all Capacity - Each	76=00	12466=00	19=00	166=00	30140=00	95=00 / 15200=00
	above 12.5%. → Each	—	—	141=00	159.78	22529=00	141=00 / 22529=00
153.	providing & fixing white vitreous China clay water closet Europen type → or	8.00	50952=00	—	6369=00	—	8.00 / 50952=00
154	providing & fixing white vitreous China clay water closet - Or	8.00	43064=00	—	53853=00	—	8.00 / 43064=00
155.	Providing & fixing white vitreous China clay, flat back wash basin → No	16=00	77184=00	—	4824=00	—	16=00 / 77184=00

Scanned by TapScanner

M. A. R. 57 (Rule 116) **No. D** 271283

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work		Dimensions			Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
156.	providing & fixing white Vitreous half stall Urinal basin → Each	8.00	8.25M=00	—	10323=00	—	8.00	8.25M=00
157.	providing fixing Cp brass towel rail 600mm → Unit	12.00	10572=00	—	881=00	—	12.00	10572=00
158.	providing & fixing 600x450mm bevelled edge Mirror → Unit	16=00	24.48=00	—	1553=00	—	16=00	24.48=00
159.	Supplying, fixing, testing & Commissioning 20mm Gp	16=00	4832=00	—	302=00	—	16.00	4832=00
160.	providing & fixing in position brass stop cock 20mm → No	16=00	3184=00	—	199=00	—	16=00	3184=00

Scanned by TapScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
161.	providing & fixing CI Natani trap 100mm x 7.5cm → Nr	32.00	9920=00	—	310=00	—	32=00	9920=00
162.	providing & fixing cpvc pipes 20mm dia → mtr	150=00	39150=00	—	261=00	—	150=00	39150=00
163.	—"— external 20mm mtr	78=00	12090=00	—	155=00	—	78=00	12090=00
164	—"— external 25mm mtr	96=00	19680=00	—	205=00	—	96=00	19680=00
165	—"— external 32mm mtr	81=00	21627=00	—	267=00	—	81=00	21627=00
166	providing & fixing in position brass gate valve 32mm dia → Nr Above 125% → Nr	2.00	2416=00	0.50	1208=00	604=00	2.00	3020=00
		—	—	0.50	1207.94	604=00	0.50	604=00
167	Supplying water storage tanks made of Virgin polyne → each	2.00	21098=00	—	10549=00	—	2.00	21098=00
168.	providing & supplying GI/SFM Woven pressure 110mm → mtr Above 125% → mtr	171.50	87837=00	53.50	511=00	27839=00	225=00	114976=00
		—	—	78.30	511.48	40049=00	78.30	40049=00.

Scanned by TapScanner

M. A. R. 57 (Rule 116) **No. D 271284**

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work		Dimensions			Contents	Reference to last Measurement	
		Number	Length	Breadth	Depth			
1	2	3	4	5	6	7	8	
169	providing & laying to wall lining floor precast kota 110mm thick	93=00	794.22=00	—	8.54=00	—	93.00 93=00	794.22=00
170.	Constructing brick masonry inspection chamber 600x600 mm - Sat	—	—	5.00	11116=00	55580=00	5.00	55580=00.
	Total Execution Amount	L) → 4,85,30,692=00				73,78,017=00		5,59,08,639=00.
						73,78,010=00		5,59,08,632=00

B.E. Rudrakumar
AE / JE (P) RRN

Bt. Rudrakumar N.Prabhu
A.E.E (P)
R.R. Nagar

Certificate:

1. The above work has been completed Satisfactorily.
2. The debris has been removed & disposed from the work spot.

N.Prabhu Bt. Rudrakumar
AE / JE (P) RRN

Bt. A.E.E (P)
R.R. Nagar

Scanned by TapScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8

J.P. park



AE / JE (P) RRN

A.E.E (P)
R.R. Nagar

Scanned by TapScanner

M. A. R. 57 (Rule 116) No. D 271285

Measurement Book

Serial No. .....

Name of work ..... From ..... To .....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work		Dimensions			Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8

Adjustments Details

I.T.....73780.00.....

CGST & SGST.....73780+73780

CBF.....7378.00.....

FSD.....2803844.00.....

Labour CESS.....73780.00.....

Royality.....3380000.00.....

Total.....3444342.00.....

Passed for Rs.....7378010.00..... Only

Net Cheque Rs...3933668.00.... Only

Adjustment Rs....3444342.00.... Only

Rs. In Words..Thirty Nine lakhs

...Thirty three thousand...

...Six hundred and Sixty

two Rupees only

Accts Supp

RRNZ

BBMP

EE (P)

RRNZ

BBMP

Scanned by TapScanner